



AC 27-0

THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of : **Confirmation No. 4407**
Kanji YAHIRO : Docket No. 2001_1892A
Serial No. 10/042,312 : Group Art Unit 1631
Filed January 11, 2002 : Examiner Carolyn L. Smith

EVALUATION APPARATUS
FOR BIOLOGICAL SAMPLES,
EVALUATION METHOD FOR THE
SAME, AND STORAGE MEDIUM
STORING COMPUTER PROGRAMS
FOR EXECUTING THE SAME
EVALUATION METHOD

: **Mail Stop: Amendment**

REPLY TO NOTICE OF NON-COMPLIANT AMENDMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the Notice dated December 16, 2004, submitted herewith is a Second Amendment After Final Office Action. Please note that claim 10 has been properly identified as "Currently Amended." Also enclosed is a copy of the Notice.

Entry of this amendment is respectfully requested.

Respectfully submitted,

Kanji YAHIRO

By: David M. Ovedovitz
David M. Ovedovitz
Registration No. 45,336
Attorney for Applicant

DMO/jmj
Washington, D.C. 20006-1021
Telephone (202) 721-8200
Facsimile (202) 721-8250
December 20, 2004



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of : **Confirmation No. 4407**
Kanji YAHIRO : Docket No. 2001_1892A
Serial No. 10/042,312 : Group Art Unit 1631
Filed January 11, 2002 : Examiner Carolyn L. Smith

EVALUATION APPARATUS
FOR BIOLOGICAL SAMPLES,
EVALUATION METHOD FOR THE
SAME, AND STORAGE MEDIUM
STORING COMPUTER PROGRAMS
FOR EXECUTING THE SAME
EVALUATION METHOD

: **Mail Stop: AF**

SECOND AMENDMENT AFTER FINAL OFFICE ACTION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the final Office Action of June 25, 2004, please amend the above-identified U.S. Patent application as follows: